

₹<mark>№</mark>с

General Risk Assessment

This risk assessment identifies the inherent and typical risks to be mitigated and managed by Bowdon Vale Cricket Club.

| Location | Priory Street, Bowdon, WA14 3BH | | |
|-------------------------|--|---------------|----------------------------|
| Activity to be assessed | Events taking place at Bowdon Vale Cricket Club | | |
| Nearest hospital | Altrincham Minor Injuries Wythenshawe A & E Trafford General A & E | Nearest defib | BVCC kitchen CO-OP shop |

| Date of | 23/03/2022 | | |
|----------------|---------------|--------------|----------|
| assessment: | | | |
| Name of person | L. Robinson | Date of next | 10/04/23 |
| completing: | P. Williamson | review: | |

| | Activity Specific Hazard | Control Measures | | Risk Factor after control (1 low to 5 high) | | |
|-----|---------------------------------|--|---|--|-----------------|-------|
| No. | | | | Likelihood (L) | Risk (S x L) | (Y/N) |
| A1 | Tracking player attendance | Register sheet to be completed for each session. All juniors to be signed in/out by parent/carer or parent/carer approved responsible adult. Emergency contacts to be held if responsibleadult not staying to watch. | 4 | 1 | 4 | Y |
| A2 | Security of personal belongings | Participants advised to leave valuables in their car or with scorer or supporter. Umpire changing room lockable. | 3 | 1 | 3 | Y |
| A3 | Food preparation | Teas prepared on premises or in clean domestic kitchens All stored/prepared food that requires temperature- controlled storage is stored in fridges or cooler unit. Food covered outside of tea serving. Unused food disposed of. | 4 | 2 | 8 | Y |





| A3 | | R. Langley, S. Ollier & L. Robinson complete & renew Food | | | | |
|-------|-----------------------------|--|---|---|----|---|
| cont. | | Hygiene Certificate End of April 2022 & disseminate to tea ladies. | | | | |
| A4 | Match related injury | Cricket helmets – check regularly - discard if damaged. Pads, gloves and helmets to be worn by anyone going into bat.Wicket keeper to wear wicket keeping pads, wicket keepinggloves and helmet. All fielders to remove caps before bowling. Arm and chest guards to be worn as appropriate. | 4 | 1 | 4 | Y |
| A5 | Child involved | All coaches /volunteers have DBS check through ECB. All young people know Child Welfare Officers names. (Names and contact details are also available on notice board & website). | 5 | 1 | 5 | Y |
| A6 | Spectator and visitors | Expectation that spectators and visitors are vigilant and responsible for juniors present. Club to promote safety awareness & display warning posters. Captains to encourage players to promote safety awareness with families. | 4 | 5 | 20 | Y |
| A7 | Training or warm up in Nets | All batters to wear normal cricket PPE when using hard ball. Bowlers waiting to bowl to be facing the net (and vigilant) or out of line of ball exiting the net. Batters changing or waiting to do so facing the net (& vigilant) or out of line of ball exiting the net. Coach to maintain vigilance and control during all of net Safety step to be used if needed by players who are using bowling machine. Dynamic risk assessment to be done by coach at training & by players on match days. | 5 | 1 | 5 | Y |
| A8 | Weather conditions | This must form part of a dynamic assessment Cricket not to be played or training to continue in adverse condins | 2 | 2 | 4 | Y |
| A9 | Equipment damage | Check that any equipment used is fit and sound for activity and suitable for the age group / ability of the group. All damaged or faulty equipment to be disposed of safely. | 2 | 1 | 2 | Y |





| No. | Pavilion Hazard | Control Measures | Risk Factor after control (1 low to 5 high) | | | Adequate |
|-----|----------------------|---|--|-------------------|-----------------|----------|
| | | | Severity (S) | Likelihood (L) | Risk (S x L) | (Y/N) |
| P1 | Safe access and exit | Veranda all steps painted with | | | | |
| | | white stripe. | 5 | 1 | 5 | Y |
| P2 | Fire hazards | Fire extinguishers inspected annually. | | | | |
| | | No smoking signs in prominent position | 5 | 1 | 5 | Y |
| | | Fluorescent fire exit signs illuminating way to fire exit. | | | | |
| | | Emergency evacuation procedures are posted in club. | | | | |
| Р3 | Food hygiene | Kitchen area is kept clean and sanitised on regular | | | | |
| | | basis. Chilled and frozen food storage is available. | 4 | 1 | 4 | Y |
| | | Coloured boards used for food preparation. Quarterly | | | | |
| | | checks & action where necessary by professional pest | | | | |
| | | control. | | | | |
| P4 | Kitchen area | No children under 12 allowed in kitchen or bar. Electrical | | | | |
| | | items always placed out of reach. | | | | |
| | | All spills to be cleaned up using suitable equipment | | | | |
| | | & products. | | | | |
| | | All pots to be washed in detergent and left to drain or washed in dishwasher. | 4 | 2 | 8 | Y |
| | | Cleaning chemicals to be stored out of reach of children. | | | | |
| | | Care to be taken when using oven as will be hot in use | | | | |
| | | Sharp knives to be kept in suitable container. | | | | |
| P5 | Toilet hygiene | Toilets and showers inspected and cleaned on a regular | | | | |
| | | basis. Cleaning schedule in place. Sanitary bin changed | | | | |
| | | regularly in line with refuse regulations. (Double bag all | | | | |
| | | bathroom waste). Toilet paper replaced as needed | 1 | 2 | 2 | Y |





| P6 | Bar-related | Bar only to serve during licenced hours. Bar staff reserve right to refuse service. Only 18s and over allowed to purchase alcohol. Only 18s and over allowed into bar or cellar. Door to cellar area to be kept closed and locked when unattended. No children permitted in bar area. Safe to be locked at all times. Gas bottles suitably stored & chained in place. Cleaning fluid stored safely & away from food or drinks items. | 4 | 2 | 8 | Y |
|----|----------------------|--|---|---|---|---|
| P7 | Slip, trip and falls | No cables to be left trailing. Care to be taken when cleaning. No climbing allowed on furniture. Flooring checked regularly for damage. | 2 | 1 | 2 | Y |
| P8 | Electrical Checks | Mandatory checks are carried out annually or as required by qualified electrical service. | 5 | 1 | 5 | Y |

| No. | Sheds Hazard | | Risk Factor after control (1 low to 5 high) | | | Adequate |
|-----|-----------------------------|---|--|-------------------|-----------------|----------|
| | | Control Measures | Severity (S) | Likelihood (L) | Risk (S x L) | (Y/N) |
| \$1 | Chemicals and tools storage | Sheds to be locked at all times when not in-use Chemicals to be stored in suitable containers with appropriate labels. Tools to be stored safely | 3 | 1 | 3 | Y |
| S2 | Machinery incidents | Sheds to be locked at all times when not in-use Only trained people and/or supervised able to use the equipment. Access to machine & tool shed restricted & alarmed. | 3 | 1 | 3 | Y |





| No. | Grounds Hazard | Control Measures | Risk Factor after control (1 low to 5 high) | | | Adequate |
|-----|--------------------------|---|--|-------------------|-----------------|----------|
| | | Control Measures | Severity (S) | Likelihood (L) | Risk (S x L) | (Y/N) |
| G1 | Trees and branches | Trees visually inspected annually for damage & health. Damaged or diseased trees/branches to be removed. Trees cut back March/April 21. Active areas of ground checked for Roots & trip hazards. | 3 | 1 | 3 | Y |
| G2 | Fencing collapse | Ad-hoc checks of fencing panels. Damaged panels replaces as & when necessary. | 3 | 1 | 3 | Y |
| G3 | Emergency vehicle access | In the case of any emergency the double gates can be opened & vehicles moved onto the ground. | 3 | 1 | 3 | Y |

| No. | Car Park Hazard Control Measures | Control Managuron | Risk Factor after control (1 low to 5 high) | | | Adequate |
|-----|----------------------------------|--|--|-------------------|-----------------|----------|
| | | | Severity (S) | Likelihood (L) | Risk (S x L) | (Y/N) |
| C1 | Vehicle movement | Cars parked at owners' risk. Limited parking ensures slow moving vehicles during match days. Car Park used as turning point on non-match days & chain locked to prevent fast moving vehicles accessing site. Parents responsible for children entering & leaving the site. | 4 | 3 | 12 | Y |
| C2 | Emergency vehicle access | In the case of any emergency the double gates can be opened & vehicles moved onto the ground. | 3 | 3 | 9 | Y |
| C3 | Uneven surfaces | External lighting adequate. Improved external lighting Sept 2021. Paving replaced Oct 21. | 2 | 2 | 4 | Y |





| No. | Other Hazard Control Measures | | Risk Factor after control (1 low to 5 high) | | | Adequate |
|-----|-------------------------------|--|--|-----------------|-------|----------|
| | | Severity (S) | Likelihood (L) | Risk (S x L) | (Y/N) | |
| 01 | Covid 19 | Additional risks recorded in separate Covid 19 risk assessment. Covid 19 risk assessment reviewed & maintained according to Government & ECB guidelines. | 5 | 5 | 25 | Y |
| 02 | | | | | | |